

EyeRealUSB

3 video real-time USB grabber



VideoHome's "EyeRealUSB" is a surveillance USB device that has the ability to record 3 camera videos simultaneously (total 90 fps in NTSC and 75fps in PAL).

Its 3 chips unique design and easy connection through USB port provides 3 video input, which makes real-time monitoring and recording a breeze.

Unique MSNrealEYE software provide remote monitoring via MSN.

"EyeRealUSB" is small enough to fit in the palm of your hand; it is especially ideal for your notebook and portable surveillance application.

Features

- 3 video real time display/recording in one USB device (Build-in 3 chips)
- Support 90 fps in NTSC and 75 fps in PAL system recording mode
- Remote monitoring via MSN video cam window, no need to install any client software
- Display capability
 - Support for One screen/Three screen/Sequence display mode
 - Supports full screen display
 - Camera ID, date/time status display
 - Support camera rename function
- SnapShot capability
 - Instant snapshot all cameras or single camera
- Recording capability
 - Instant record for multiple cameras
 - Independent recording file on Multiple cameras
 - Supports Linear or Circular (overwrite) mode
 - Time stamp support
 - Audio recording support (one camera only)
 - Camera ID, start date/time logged into database
 - Support schedule recording (one time\every week\several days)
 - Selectable recording drive
- Playback capability
 - Record Information display
 - Powerful video search engine allows you to search by time mode, date mode, camera ID.



- Scroll bar to search the video you needed
- Exact date/time and length display
- Playback speed control
- Rewind/Replay support
- Snapshot support during playback
- Print support for image capture
- Motion Detector
 - Camera select support
 - Detecting sensor (Low , Mid, High) support
 - Detecting action (Record, Alarm) support
 - Alarm light display

Specifications

- Audio recording supports(one camera only)
- Display frame rate : Total 90fps (NTSC), 75fps(PAL);
 - Each camera 30fps(NTSC)/25fps(PAL) real time display
- Recording frame rate : Total 90fps (NTSC), 75fps(PAL);
 - Each camera can 30fps(NTSC)/25fps(PAL) real time display
- Video system : Multi system support; Auto detect
- Still image capture : 640 x 480, 320 x 240 JPG format.
- Compression type : AVI
- Input : 3 analog video input RCA port
- Output : USB 2.0 interface
- Dimension : 110mm x 92mm x 25mm
- Weight: 103.6 g.
- Power input : 5VDC, 700mA

Minimal System Requirement

- VGA Card (system with onboard graphics chip is not recommended)
- USB 2.0 equipped computer
- Intel Pentium 4 - 1Ghz or above or equivalent AMD processor
- 512MB of RAM (1G recommended)
- WinXP SP2 and Vista
- CD-ROM drive (For software installation)
- Sound Card or on-board Sound Chip (AC'97 or HDA) (For audio recording)

Package Contents

- EyeRealUSB device
- USB A type(male) to MINI B type(male) cable x 1
- Power adapter x 1
- EyeRealUSB Software x 1
- MSNrealEYE remote monitoring Software x 1
- Quick installation guide x 1

EyeRealUSB


3 video real-time USB grabber

VideoHome's "EyeRealUSB" is a surveillance USB device that has the ability to record 3 camera videos simultaneously (total 90 fps in NTSC and 75 fps in PAL).

Its 3 chips unique design and easy connection through USB port provides 3 video input, which makes real-time monitoring and recording a breeze.

Unique MSNrealEYE software provide remote monitoring via MSN.

"EyeRealUSB" is small enough to fit in the palm of your hand; it is especially ideal for your notebook and portable surveillance application.



VideoHome